

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	27	345/548.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/12 13:07
S2	14	345/548.ccls. and host	US-PGPUB; USPAT	OR	OFF	2005/04/11 11:15
S5	1	Epard and pixel and host and off-screen	US-PGPUB; USPAT	OR	OFF	2005/04/13 09:12
S9	19	345/548.ccls. and available	US-PGPUB; USPAT	OR	OFF	2005/04/11 12:15
S10	4	345/548.ccls. and available same off-screen	US-PGPUB; USPAT	OR	OFF	2005/04/11 12:16
S11	1	345/548.ccls. and stride	US-PGPUB; USPAT	OR	OFF	2005/04/11 13:54
S12	53	stride and pixel and host and off-screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:50
S13	103	("4860247"   "4903218"   "4937036"   "4958303"   "5072412"   "5119319").PN. OR ("5241625"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 13:48
S17	2	stride and pixel and host adj computer and display adj computer and off-screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:03
S25	1	stride and source adj computer and destination adj computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:53
S26	245	x adj client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:01
S27	3	x adj client and stride	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:57

S28	14	x adj windows and stride	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:56
S29	14	x adj windows and stride and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:56
S30	11	x adj windows and stride and pixel and off-screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:01
S31	8	x adj server and stride	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:58
S32	8	x adj server and stride and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:58
S33	8	x adj server and stride and pixel and off-screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:58
S35	73	x adj windows and pitch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:01
S36	20	x adj windows and pitch and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:10

S38	2	x adj windows and pitch and pixel and off adj screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:02
S39	0	pitch and pixel and host adj computer and display adj computer and off-screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:03
S40	0	pitch and host adj computer and display adj computer and off-screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:03
S41	115	pitch and host adj computer and display adj computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:03
S43	81	pitch and host adj computer and display adj computer and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:05
S48	81	pitch and host adj computer and "display computer" and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:08
S49	4	pitch and host adj computer and "display computer" and pixel and bitmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:09
S50	4	pitch and host adj computer and "display computer" and bitmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:09

S51	3	x adj windows and pitch and pixel and bitmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:17
S52	4	x adj server and pitch and pixel and bitmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:13
S53	0	x adj client and pitch and pixel and bitmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:13
S54	1	x adj windows and pitch and pixel and bitmap and off adj screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:13
S55	0	x adj server and pitch and pixel and bitmap and off adj screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:13
S56	63	x adj windows and pixel and off adj screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:12
S57	12	x adj windows and pixel and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:08
S60	4	x adj server and pixel and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:23

S61	5	x adj server and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:23
S62	5	x adj client and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:24
S64	139	345/543.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:24
S65	16	345/543.ccls. and off adj screen	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:04
S66	6	345/543.ccls. and best adj fit	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:21
S67	110	345/543.ccls. and available	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:24
S68	101	345/543.ccls. and available same memory	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:25
S69	31	345/543.ccls. and available adj memory	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:27
S70	34	345/543.ccls. and static	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:27
S72	11	345/543.ccls. and static same allocat\$3	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:33
S73	67	345/543.ccls. and fixed	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:34
S74	10	345/543.ccls. and fixed adj size	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:38
S75	30	345/543.ccls. and til\$3	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:50
S76	10	345/548.ccls. and sufficient	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:50
S79	4	345/543.ccls. and sub-image\$1	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:50
S80	10	("5321522"   "5379122"   "5485205"   "5521718"   "5602976"   "5638498"   "5699457"   "5761345").PN. OR ("6049330").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/12 13:08
S81	20	("4999705"   "5001559"   "5049991"   "5051840"   "5220440").PN. OR ("5321522").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/12 13:08

S82	1	xlib and pixel and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:07
S83	0	x adj terminal and pixel and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:12
S84	0	x adj terminal and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:09
S85	3	thin adj client and pixel and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:10
S86	0	remote adj comput\$3 and pixel and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:10
S87	2	remote adj comput\$3 and off adj screen adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:10
S88	241	thin adj client and pixel and memory same available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:11
S90	28	thin adj client and pixel and memory same available same indicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:11

S91	19	xlib and pixel and memory same available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:11
S92	32	x adj terminal and pixel and memory same available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:12
S93	186	x adj windows and pixel and memory same available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:12
S94	29	x adj windows and pixel and memory same available same indicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:12
S95	34	x adj server and pixel and memory same available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:13
S96	8	x adj client and pixel and memory same available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:13
S97	2581	sub-image\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:37
S98	8	sub-image\$1 and pixmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:31

S99	16	sub-image\$1 and pixel adj map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:32
S10 0	1445	sub-image\$1 and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:32
S10 1	380	sub-image\$1 and pixel and remote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:32
S10 2	51	sub-image\$1 and pixel and remote adj comput\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:32
S10 3	21	sub-image\$1 and pixel and remote adj comput\$3 and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:35
S10 4	5	sub-image\$1 and pixel and thin adj client and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:35
S10 5	8	sub-image\$1 and pixel and x adj windows and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:36
S10 6	5	sub-image\$1 and pixel and x adj server and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:36



S10 7	4	sub-image\$1 and pixel and x adj client and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:36
S10 8	5	sub-image\$1 and pixel and x adj terminal and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:37
S10 9	4	sub-image\$1 and pixel and xlib and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:37
S11 0	6921	pixel adj block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:42
S11 1	28	pixel adj block\$1 and pixmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:38
S11 2	3	pixel adj block\$1 and pixmap and x adj windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:40
S11 3	2	pixel adj block\$1 and pixmap and x adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:39
S11 4	1	pixel adj block\$1 and pixmap and x adj client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:39

S11 5	2	pixel adj block\$1 and pixmap and x adj terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:39
S11 6	1	pixel adj block\$1 and pixmap and xlib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:39
S11 7	2	pixel adj block\$1 and pixmap and remote adj comput\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:40
S11 8	29	pixel adj block\$1 and x adj windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:40
S11 9	1735	pixel adj block\$1 same divid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:42
S12 0	2	pixel adj block\$1 same divid\$3 and pixmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:43
S12 1	1	pixel adj block\$1 same divid\$3 and x adj windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:42
S12 2	8	pixel same block\$1 same divid\$3 and pixmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:44

S12 3	18	pixel same block\$1 same divid\$3 and x adj windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:46
S12 4	10	pixel same block\$1 same divid\$3 and x adj windows and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:48
S12 5	26	pixel and block\$1 same divid\$3 and x adj windows and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:50
S12 7	8	pixel and block\$1 same divid\$3 and x adj server and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:51
S12 8	2	pixel and block\$1 same divid\$3 and x adj client and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:51
S12 9	7	pixel and block\$1 same divid\$3 and xlib and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:51
S13 1	12	pixel and block\$1 same divid\$3 and x adj terminal and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:54
S13 2	12	pixel and block\$1 same divid\$3 and thin adj client and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:03

S13 3	126	pixel and block\$1 same divid\$3 and remote adj comput\$3 and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:16
S13 4	47	pixel same block\$1 same divid\$3 and remote adj comput\$3 and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:03
S13 5	1	pixel same block\$1 same divid\$3 and remote adj comput\$3 and copy and pixmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:56
S13 6	1	pixel same block\$1 same divid\$3 and remote adj comput\$3 and copy and pixel adj map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 13:56
S13 8	20	pixel same til\$3 same divid\$3 and remote adj comput\$3 and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:03
S13 9	2	pixel and til\$3 same divid\$3 and thin adj client and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:04
S14 0	5	pixel and til\$3 same divid\$3 and x adj windows and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:04
S14 1	1	pixel and til\$3 same divid\$3 and x adj server and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:04

S14 2	1	pixel and til\$3 same divid\$3 and x adj client and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:05
S14 3	1	pixel and til\$3 same divid\$3 and x adj terminal and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:05
S14 4	1	pixel and til\$3 same divid\$3 and xlib and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:05
S14 5	38	xlib and pixel and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:08
S14 6	15	xlib and pixel and copy and pixmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:08
S14 7	14	xlib and pixel and copy and pixmap and block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:08
S14 8	2	pixel and block\$1 same divid\$3 same copy and remote adj comput\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:12
S14 9	86	345/562.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:18

S15 3	29	345/562.ccls. and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:20
S15 5	2	345/562.ccls. and copy same divid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:22
S15 6	1	345/562.ccls. and copy and pixmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:21
S15 7	2	345/562.ccls. and copy and pixel adj map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:21
S15 8	27	345/562.ccls. and copy and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:21
S15 9	1	345/562.ccls. and bitblt same divid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:23
S16 0	27	345/562.ccls. and bitblt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:27
S16 1	4	345/562.ccls. and bitblt same command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:24

S16 2	38	345/562.ccls. and divid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:27
S16 3	13	345/562.ccls. and divid\$3 same block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:28
S16 4	0	345/562.ccls. and divid\$3 same block\$1 same copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:28
S16 5	0	345/562.ccls. and divid\$3 same block\$1 same bitblt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:28
S16 6	1	345/562.ccls. and divid\$3 same block\$1 same bit adj block adj transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:29
S16 7	1	("6031550").PN.	USPAT	OR	OFF	2005/04/13 09:12